# MATERIAL SAFETY DATA SHEET

#### **DEMON TC**

MSDS No. US002840\_01
Version: 4 Date issued: 09/19/00 Date printed: 09/21/00

### Section 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company : Zeneca Ag Products Inc

1800 Concord Pike Wilmington DE 19850

Phone number : (302) 886-1000

Emergency phone : Medical: 800-327-8633 (1-800 FASTMED)

Chemtrec: 800-424-9300 Technical:302-886-3000

Name used on label : DEMON TC

| Product use : A Pyrethroid Insecticide

(WF1560)

A Registered Trade Mark of a Zeneca Group Company.

#### Section 2 – COMPOSITION/INFORMATION ON INGREDIENTS

Identity CAS-no.	Typical %	Other information
CYPERMETHRIN TECHNICAL		
52315-07-8	25.3 %	Active Ingredient
Petroleum Solvent		
64742-94-5	7.4 %	Including 1,2,4 - Trimethylbenzene
		(CAS 95-63-6) as an impurity in
		the solvent.
Other Ingredients		

21191 21191 2012012

67.3 %

Ingredients not precisely identified are proprietary or non hazardous. Values are not product specifications. The information contained here in is for the concentrate as packaged, unless otherwise noted.

# Section 3 – HAZARDS IDENTIFICATION

Physical hazards:

Combustible liquid

### Health hazards:

Irritant (eye, skin sensitization), Harmful (oral). Inhalation (TLV). Irritating to respiratory system. Based on the aromatic petroleum solvent - harmful (central nervous system depression, gastrointestinal disturbance).

# MATERIAL SAFETY DATA SHEET

#### **DEMON TC**

MSDS No. US002840\_01
Version: 4 Date issued: 09/19/00 Date printed: 09/21/00

### Section 4 – FIRST AID MEASURES

#### IF IN EYES:

Immediately flush with plenty of water for at least 15 minutes. If redness, itching or a burning sensation develops, have eyes examined and treated by medical personnel. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.

### IF ON SKIN:

Wash material off the skin with plenty of soap and water. If redness, itching or a burning sensation develops, get medical attention.

### IF SWALLOWED:

Provided the patient is conscious, wash out mouth with water. Immediately contact Zeneca's Emergency Information Network at 1-800-F-A-S-T-M-E-D (327-8633). Vomiting should only be induced under the direction of a physician or a poison control center. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer water.

## IF INHALED:

Remove victim to fresh air. Apply artificial respiration if breathing has ceased or shows signs of failing. Obtain medical attention.

## MEDICAL ADVICE:

Inducing vomiting to remove this preparation from the stomach can increase the risk of chemical pneumonitis and pulmonary edema due to aspiration of stomach contents.

### **Section 5 – FIRE FIGHTING MEASURES**

Autoignition temperature :

No data

Flash point :

160 °F

## EXTINGUISHING MEDIA:

Water fog, alcohol foam, carbon dioxide, dry chemical or halogenated agents. Water spray should be used to cool containers.

## PROTECTIVE EQUIPMENT:

Self-contained breathing apparatus with full facepiece and protective clothing.

# MATERIAL SAFETY DATA SHEET

#### **DEMON TC**

MSDS No. US002840\_01
Version: 4 Date issued: 09/19/00 Date printed: 09/21/00

NFPA RATING

Health

2

Fire

2

Reactivity

0

Unusual fire and explosion hazards:

Combustible liquid by OSHA 29 CFR 1910.1200. If heated above the flash point, heavy vapors can flow along surfaces to distant ignition sources and flash back. Possible toxic smoke, vapors, fallout and runoff water can result from fires depending on extent of combustion and presence of other combustible materials. Contaminated buildings, areas, and equipment must be properly decontaminated before reuse.

Special precautions or other comments:

Follow procedures specified in the National Fire Protection Association codes and standards for handling combustible liquids. Prevent skin and eye contact. Avoid breathing vapors or aerosols.

### Section 6 – ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS:

Recommended steps to be taken when concentrate material is released or spilled: Make sure all personnel involved in the spill cleanup follow good industrial hygiene practices. Use adequate ventilation and wear a properly fitted half face or full face NIOSH/MSHA respirator approved for pesticides. Wear proper protective clothing, gloves made of materials such as rubber or neoprene, and chemical protective eye protection (refer to section 8). Recommended steps to be taken when diluted concentrate material is released or spilled: Keep unprotected persons and animals out of the spill area. Make sure the area is adequately ventilated for large spills. Wear proper protective clothing, water-proof gloves and eye protection (refer to section 8).

Make sure all personnel involved in the spill cleanup follow good industrial hygiene practices. A small spill can be handled routinely. Ensure suitable personal protection (including respiratory protection) during removal of spillages. Wear suitable protective clothing and eye protection to prevent skin and eye contact.

## ENVIRONMENTAL PRECAUTIONS:

Washings must be prevented from entering surface water drains. ADDITIONAL INFORMATION:

PROCEDURES FOR CLEANING UP:

1. Spread a suitable absorbent such as clay on the spill, and shovel into an open drum.

# MATERIAL SAFETY DATA SHEET

#### **DEMON TC**

MSDS No. US002840\_01
Version: 4 Date issued: 09/19/00 Date printed: 09/21/00

- 2. Generously cover the contaminated areas with common, household detergent (e.g. TIDE, registered trademark of Proctor & Gamble Co.). Using a stiff brush and small amounts of water, work the detergent into the remaining spilled material forming a slurry. Brush the slurry into cracks and crevices and allow to stand for 2-3 minutes. Be careful to completely avoid skin or eye contact. Do not splatter on oneself or bystanders.
- 3. Spread absorbent on the slurry liquid and shovel mixture into the open drum.
  - 4. Repeat #2 and 3 if necessary.
- 5. Rinse with a small amount of water and use absorbent to collect the wash solution. Shovel into the drum.
- 6. Seal drum and dispose of contaminated material in a facility permitted for hazardous waste. Large spills should be handled according to a spill plan. Otherwise, in case of emergency call, day or night, 800-424-9300, Chemtrec. 1.

#### Section 7 – HANDLING AND STORAGE

# SAFE HANDLING ADVICE:

Do not get on skin or clothing. Avoid contact with eyes. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

## REQUIREMENTS FOR STORAGE ROOMS:

Keep in original containers, tightly closed, out of reach of children. Keep away from food, drink and animal feeding stuffs. Containers should be stored in a cool, dry, well-ventilated area away from flammable materials and sources of heat or flame. Exercise due caution to prevent damage to or leakage from the container.

### Section 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational exposure limits

OSHA PEL 1,2,4-trimethylbenzene

TWA 25 ppm

ACGIH TLV 1,2,4-trimethylbenzene

TWA 25 ppm

ACGIH TLV Extracts (petroleum), light paraffinic distillate solvent 8-hour TWA  $5~\text{mg/m}^3$ 

# EYE PROTECTION:

MANUFACTURING: Chemical tight goggles; full faceshield in addition if splashing is possible.

END-USER: When making applications of diluted material in non-ventilated

# MATERIAL SAFETY DATA SHEET

#### **DEMON TC**

MSDS No. US002840\_01
Version: 4 Date issued: 09/19/00 Date printed: 09/21/00

-

spaces or when rodding or subslab injecting, wear protective eyewear (goggles and/or safety glasses with side shields and/or face shield). BODY PROTECTION:

MANUFACTURING: When handling or when exposure to concentrate is possible, wear: long-sleeved shirt and long pants, waterproof gloves, shoes and socks, face shield and chemical-resistant apron. Remove contaminated clothing and wash before rewearing. Wash separately from other laundry. END-USER: When handling concentrate during mixing wear coveralls over minimimum of short pants and short sleeve shirt or chemical-resistant apron, chemical-resistant gloves, socks and chemical-resistant footwear. After concentrate is diluted, applicators may wear regular work clothes, socks, shoes and water-resistant gloves.

#### RESPIRATORY PROTECTION:

MANUFACTURING: Use MSHA-NIOSH approved respirator for pesticides. END-USER: When making applications of diluted material in non-ventilated spaces, refer to label for recommended MSHA-NIOSH approved respirators to use.

Other protective equipment:

### MANUFACTURING:

Eyewash station and safety shower in manufacturing work area. Use ventilation adequate to maintain safe levels in manufacturing workplace. VENTILATION:

Use ventilation adequate to maintain safe levels.

Special precautions or other comments:

This product is FIFRA regulated. Refer to product labeling for end-user Personal Protection requirements.

### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : medium to dark brown
Odor : slight Hydrocarbon

Vapor Pressure : 1.0E-09

at 20 °C Method: mmHq

This information is based on the technical material.

Specific gravity: : 0.98

at 25 °C (water = 1)

Vapour density : No data.

Solubility : emulsifiable in/with water

pH-value (quant.) : 4.8

1% w/v at 20 Deg C

Volatile by volume: :

Method: no data available

# MATERIAL SAFETY DATA SHEET

**DEMON TC** 

MSDS No. US002840\_01
Version: 4 Date issued: 09/19/00 Date printed: 09/21/00

\_\_\_\_

### Section 10 - STABILITY AND REACTIVITY

HAZARDOUS REACTIONS (CONDITIONS TO AVOID)

Stability:

Stable under normal conditions.

Hazardous polymerization:

Will not occur.

HAZARDOUS REACTIONS (MATERIALS TO AVOID)

strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS

Combustion products - Carbon dioxide, carbon monoxide.

nitrogen oxides , sulfur oxides , ammonia .

halogens , halogen acids , possible trace amounts of carbonyl halide .

### Section 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY (LETHAL DOSES)

LC50 Oral male rats

: 173 mg/kg

LD50 Oral female rats

: 426 mg/kg

Additional inform. : Moderately toxic

LD50 Dermal rabbit/rat (both genders)

: > 2000 mg/kg

LC50 Inhalation male rats

: > 0.764 mg/l

LC50 Inhalation female rats

: > 1.105 mg/l

GENERAL INFORMATION ABOUT ACUTE OR OTHER TOXICITIES

Other effects of overexposure:

Ingestion can induce nausea, vomiting, abdominal pain and diarrhea. Large doses ingested may cause disturbance of the nervous system. Skin exposures may cause a skin sensation called paresthesia, which is usually described as tingling, itching, burning, prickling, glowing, flushing, numbness or a chapped feeling. There is no evidence of any long-term or cumulative effects on the skin. Symptoms may develop shortly after exposure or can be delayed up to four hours and can persist between 2 and 30 hours following contact. The effect may result from transferring the material to the face

## MATERIAL SAFETY DATA SHEET

#### **DEMON TC**

MSDS No. US002840\_01
Version: 4 Date issued: 09/19/00 Date printed: 09/21/00

from contaminated gloves and hands.

#### Section 12 – ECOLOGICAL INFORMATION

ECOTOXICITY

Additional inform. : This material is extremely toxic to fish and other aquatic organisms.

### Section 13 – DISPOSAL CONSIDERATIONS

Do not contaminate waterways by cleaning of equipment or by disposal of wastes. Untreated effluent should not be discharged where it will drain into lakes, streams, or ponds.

Discarded product is not a hazardous waste under RCRA, 40 CFR 261.

CONTAINER DISPOSAL: Empty container retains product residue. Observe all hazard precautions. Do not distribute or make available, furnish or reuse empty container except for storage and shipment of original product. Remove all product residue from containers by triple rinsing or equivalent and puncture or otherwise destroy empty containers before disposal. For non-refillable end-use plastic containers: Completely empty container into application equipment then triple rinse (or equivalent). Then offer for recycling or puncture and dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state and local authorities.

### Section 14 – TRANSPORT INFORMATION

```
ROAD TRANSPORT DOT

Inform. applies to: NON-BULK:

Pesticides, liquid, toxic, n.o.s. (contains cypermethrin), 6.1, UN2902, PGIII.

ROAD TRANSPORT DOT

Inform. applies to: BULK:

Pesticides, liquid, toxic, n.o.s. (contains cypermethrin, 25%), 6.1, UN2902, PGIII, Marine pollutant.
```

## MATERIAL SAFETY DATA SHEET

**DEMON TC** 

MSDS No. US002840\_01
Version: 4 Date issued: 09/19/00 Date printed: 09/21/00

### Section 15 – REGULATORY INFORMATION

HAZARDOUS INGREDIENTS
CYPERMETHRIN TECHNICAL
Petroleum Solvent

Other regulations, restrictions and prohibitions

TSCA (Toxic Substances Control Act) Regulations, 40CFR 710:

This product is a pesticide and is exempt from TSCA regulation.

CERCLA and SARA Regulations (40 CFR 355, 370, and 372):

This product contains the following chemicals subject to the reporting requirements of 40 CFR 372.

<10.1% 1,2,4-Trimethylbenzene (CAS No. 95-63-6)

EPA

EPA Registration no.: 10182-107

### Section 16 - OTHER INFORMATION

ZENECA Ag Products Inc believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of ZENECA Ag Products Inc, ZENECA Ag Products Inc expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

A vertical bar  $(\ |\ )$  in the left margin indicates an amendment from the previous version.