MATERIAL SAFETY DATA SHEET

WHITMIRE MICRO-GEN RESEARCH LABORATORIES, INC. 3568 TREE COURT IND. BLVD. ST. LOUIS, MO 63122

Prescription Treatment® brand INSPECTOR®

Pressurized Contact Insecticide
Formula 1

(800) 777-8570 (8:00 A.M. to 4:30 P.M. CST)

EMERGENCY PHONE NUMBERS:

MEDICAL: (800) 225-3320 PROSAR

TRANSPORTATION: (800) 424-9300 CHEMTREC

EPA REG. NO.: 499-417

EFFECTIVE DATE: OCTOBER 28, 1998

SECTION 1: HAZARDOUS INGREDIENTS				
	ACGIH	ACGIH	OSHA	OTHER
Active Ingredients:	TLV/TWA	STEL	PEL/TWA	OTHER
Pyrethrins: 0.5% (CAS #8003-34-7)	5mg/m³	10mg/m ³	NE	
Piperonyl butoxide, technical: 1.0 ^o (CAS #51-03-6)	% NE	NE	NE	
N-octyl bicycloheptene dicarboxim 1.0% (CAS #113-48-4)	ide: NE	NE	NE	
Inert Ingredients: 97.5%				
Dimethyl Ether (CAS #115-10-6)	1000 ppm*	NE	NE	
Sodium Benzoate (CAS #532-32-1) NE	NE	10 mg/m ³	
Isopropanol (67-63-0)	400pm	500ppm	400ppm	15 min. ceiling 800ppm NIOSH
Water (CAS #7732-18-5) *estimated	NE	NE	NE	

All components of this product are listed or excluded from listing on the US Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SECTION 2: PHYSICAL DATA

Boiling Point: NA - end use product. Specific Gravity ($H_2O=1$): NA Vapor Pressure in Aerosol Container:

NA - end use product.

Percent Volatile: ~97.5%

Vapor Density: NA

Evaporation Rate: NA Solubility in Water: NA - end use

product.

Appearance and Odor: Sprays as a strong, dry mist with characteristic pyrethrin odor.

SECTION 3: FIRE AND EXPLOSION HAZARD DATA

Flashpoint: Flame Extension = 18" (CSMA Flame Projection Test)

Flammable Limits: (for Dimethyl Ether) % by volume in air - Lower 3.4, Upper 18.0

NFPA 30B Flammability: Level 1 Aerosol Extinguishing Media: CO₂; Dry Chemical; Foam Special Firefighting Procedures: None required.

 $\textbf{Unusual Fire and Explosion Hazards:} \ \ \textbf{Contents under pressure.} \ \ \textbf{Exposure to temperatures}$

above 130°F may cause bursting.

SECTION 4: HEALTH HAZARD DATA

Threshold Limit Value: NE

Routes of Entry:

Inhalation? Skin? Ingestion?
Secondary Primary Tertiary
Health Hazard (Acute and Chronic) - Signs and Symptoms of Exposure:

Eye: May cause eye irritation. Produced slight, reversible conjunctival irritation in rabbits

Skin: Prolonged exposure may cause skin irritation. Produced an average primary skin irritation score of 0.08 in rabbits. Not a dermal sensitizer to guinea pigs.

Ingestion & Inhalation: Unlikely due to the product being pressurized and producing particles large enough not to be respirable. Acute oral toxicity - $LD_{50} = 4,730 \text{ mg/kg}$ (rats). Acute inhalation toxicity - $LC_{50} > 7.4 \text{ mg/l}$ (rats). A few cases of extrinsic asthma from pyrethrin mixtures have been reported. Prolonged exposure may cause drying of nose and throat.

Carcinogenicity:

NTP? IARC Monograph? OSHA Regulated?

Emergency and First Aid Procedures:

If Swallowed: Call a physician or poison control center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove patient to fresh air. Apply artificial respiration if indicated.

If on Skin: Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attention if irritation persists.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists. Medical Conditions Generally Aggravated by Exposure: None known.

SECTION 5: REACTIVITY DATA

Stability: Indefinite when used according to label directions.

Conditions to Avoid: Do not spray into open flame or onto very hot surfaces.

Hazardous Decomposition Products: Thermal decomposition in open flame may result in carbon dioxide and carbon monoxide.

Hazardous Polymerization: Will not occur.

SECTION 6: SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: If container begins to leak (through puncture, etc.), allow to discharge completely in well ventilated area, then dispose in safe place. In case of spillage on skin, wash thoroughly with soap and water. Emergency Telephone Number of Chemtrec: (800) 424-9300

(for transportation spills)

Waste Disposal Method: Do not contaminate water, food or feed by disposal. *Pesticide Disposal*: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility. *Container Disposal*: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container and discard in the trash.

In case of spillage, this product is subject to reporting requirements of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA).

SECTION 7: SPECIAL PROTECTION INFORMATION

Respiratory Protection: None required. Recommended during any general volumetric treatment or during prolonged exposure. Use an approved pesticide respirator.

Ventilation:

treatment area

Local Exhaust: None required. Mechanical: Provide adequate ventilation of

Special: None required. Other: None required.

Protective Gloves: None required - avoid contact with skin.

Eye Protection: None required - avoid contact with eyes.

Other Protective Equipment: None required.

SECTION 8: SPECIAL PRECAUTIONS

Precautions to be taken in handling and storage: Hazards to Humans and Domestic Animals: CAUTION - Harmful if swallowed or absorbed through skin. Do not remain in treated area and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes or clothing. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food or foodstuffs. Remove all pets and birds. For aquariums, remove or cover and turn off air pumps (if conditions permit). In Hospitals: Remove patients prior to treating the facility. Ventilate area for two hours prior to returning patients. Food Areas of Food Handling Establishments: Foods should be removed or covered during general volumetric treatment. After general volumetric treatment, all food processing surfaces and equipment should be thoroughly washed with an effective cleaning compound followed by a potable water rinse before using. Careful Crack and Crevice® application for inspection purposes is permissible at all times. Do not apply as a space spray while food processing is underway. *Environmental Hazards:* This product is toxic to fish, birds and other wildlife. Do not apply directly to water, or to areas where surface water is present or to industrial areas below the mean high water mark. Apply this product only as specified on its label. Physical or Chemical Hazards: Extremely flammable. Contents under pressure. Do not puncture. Keep away from heat, sparks and open flame. Do not use this product in electrical equipment (where there is exposed wiring or contact points) due to possibility of short circuits and shock hazard. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc. For best results, product should be used when can temperature is above 60°F. If can temperature is below 60°F. store at room temperature until a temperature above 60°F is reached. Storage: Store in a cool area away from heat or open flame.

SECTION 9: HEALTH RATING INFORMATION (NFPA)

Health - 1 Flammability - 2 Reactivity - 1

SECTION 10: SARA TITLE III/SEC. 313 SUPPLIER NOTIFICATION

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372:

CAS# Chemical Name % **by weight** 51-03-6 Piperonyl butoxide 1.0%

SECTION 11: DOT SHIPPING INFORMATION

Proper Shipping Name: Consumer Commodity Hazard Class: ORM-D

Product Code: 02-0565-2

Prepared by: Dana M. Thomas

NA - Not Applicable NE - Not Established

PEL - Permissible Exposure Limit ACL - Acceptable Ceiling Level MPC - Maximum Peak Concentration

